FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division.

Fugro Development Centre,

5 Lok Yi Street, 17 M.S. Castle Peak Road, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233 Fax : +852-2450 6138

Website: www.fugro.com

E-mail: matlab@fugro.com.hk



Report No.: 061528RM60080 Page



REPORT ON MIXING OF MORTAR

Information Supplied by Client

Client:

Bestford International Ltd.

Client Address: --

Project:

Test on Waterproofing Material

Client's Ref .: --

Main Contract No .:

Works Order No.:

Serial No .:

Sample Description:

Type

: Zhonghe 2000 Efficiency Waterproofing Materials

Source

: Tianjin Hi-tech Industry Park Zhonghe Waterproof Material Co. Ltd.

Batch No.

Laboratory Information

Lab Batch ID .:

RM60080/A

Date Received:

24-Jun-2006

Date of Mixing:

03-Jul-2006

Sample Location:

Concrete Lab. of MateriaLab

Ambient Temperature:

22 °C

Relative Humidity:

Time of Start of Mixing:

11:35

Mixing Time:

5 min.

Time of Completion of Mixing:

11:40

Test Method:

HKHA/MTS (2002/2004) Specification Part D Clause 2.1.20

Test Results

Mixing Materials Description	Quantity
Zhonghe 2000 Efficiency Waterproofing Materials	25 kg
Tap Water	10 litre
	mental .

Remarks: --

Checked by:

Date: 12/9/2006

(Felix Chan / T.K. Cheung / C.W. Kwok)

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,

Fugro Development Centre,

5 Lok Yi Street, 17 M.S. Castle Peak Road. Tai Lam, Tuen Mun, N.T., Hong Kong.

: +852-2450 8233 Tel : +852-2450 6138 Fax

E-mail : matlab@fugro.com.hk Website: www.fugro.com



Page

1 of



REPORT ON MIXING OF MORTAR

061528RM60080(11)

Information Supplied by Client

Client:

Report No .:

Bestford International Ltd.

Client Address: --

Project:

Test on Waterproofing Material

Client's Ref .: --

Main Contract No .:

Works Order No.: Serial No .:

Sample Description: Type : Zhonghe 2000 Efficiency Waterproofing Materials

Source

: Tianjin Hi-tech Industry Park Zhonghe Waterproof Material Co. Ltd.

Batch No.

Laboratory Information

Lab Batch ID .:

RM60080/B

Date Received:

24-Jun-2006

Date of Mixing:

07-Jul-2006

Sample Location:

Concrete Lab. of MateriaLab

Ambient Temperature:

22 °C

Relative Humidity: Time of Start of Mixing:

14:42

Mixing Time:

5 min.

Time of Completion of Mixing:

14:47

Test Method:

HKHA/MTS (2002/2004) Specification Part D Clause 2.1.20

Test Results

Mixing Materials Description	Quantity
Zhonghe 2000 Efficiency Waterproofing Materials	25 kg
Tap Water	10 litre
au.	-

Remarks: ---

Checked by:

Certified by

(Felix Chan / T.K. Cheung / C.W. Kwok)

The Hong Kong Accreditation Service (HKAS) has accredited this laboratory under the Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation. The copyright of this report is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the issuing laboratory.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division.

Fugro Development Centre,

5 Lok Yi Street, 17 M.S. Castle Peak Road, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233 : +852-2450 6138

E-mail: matlab@fugro.com.hk Website: www.fugro.com



Page 1 of



REPORT ON MIXING OF MORTAR

061528RM60080(14)

Information Supplied by Client

Client:

Report No .:

Bestford International Ltd.

Client Address: --

Project:

Test on Waterproofing Material

Client's Ref .: --

Main Contract No.:

Works Order No.:

Sample Description:

Serial No .:

Type

Source

: Zhonghe 2000 Efficiency Waterproofing Materials

: Tianjin Hi-tech Industry Park Zhonghe Waterproof Material Co. Ltd.

Batch No.

Laboratory Information

Lab Batch ID .:

RM60080/C

Date Received:

24-Jun-2006

Date of Mixing:

10-Jul-2006

Sample Location:

Concrete Lab. of MateriaLab

Ambient Temperature:

22 °C

Relative Humidity:

Time of Start of Mixing:

15:40

Mixing Time:

5 min.

Time of Completion of Mixing:

15:45

Test Method:

HKHA/MTS (2002/2004) Specification Part D Clause 2.1.20

Test Results

Mixing Materials Description	Quantity
Zhonghe 2000 Efficiency Waterproofing Materials	25 kg
Tap Water	10 litre
*Alm	
	pin one
-	

Remarks: --

Checked by:

(Felix Chan / T.K. Cheung / C.W. Kwok)

The Hong Kong Accreditation Service (HKAS) has accredited this laboratory under the Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation. The copyright of this report is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the issuing laboratory.